

Applicants : David S. Teppo et al.  
Appln. No. : 09/885,877  
Page -2-

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Please cancel claims 4, 8, 9, and 25.

Please amend claims 1, 10, and 20 as follows:

- b1
1. (Currently amended) A back construction for a seating unit comprising:  
a flexible back panel made of incompressible material that resists shortening when stressed and that is configured to support a seated user's torso, the back panel including a stiff top section, a stiff bottom section, and a flexible lumbar section; and  
a bladder attached to the stiff top and bottom sections and spanning the flexible lumbar section of the flexible back panel so that when the bladder expands in one direction and simultaneously shortens in a different vertical direction, the lumbar section bends and the back panel is flexed to a different vertical shape.
  2. (Original) The back construction defined in claim 1, wherein the bladder is elongated, and wherein the different direction that shortens extends parallel a length of the elongated bladder.
  3. (Previously presented) The back construction defined in claim 2, wherein the one direction is parallel a thickness direction.
  4. Canceled.
  5. (Original) The back construction defined in claim 1, wherein the bladder includes multiple pleats that extend in a direction perpendicular to the different direction.
  6. (Original) The back construction defined in claim 5, wherein the pleats extend horizontally.

Applicants : David S. Teppo et al.  
Appln. No. : 09/885,877  
Page -3-

b1  
cont

7. (Original) The back construction defined in claim 1, including a fluid pump operably connected to the bladder.

8. Canceled.

9. Canceled.

10. (Presently amended) The back construction defined in claim [[9]] 1, wherein the lumbar section includes vertically-extending side strips that flex, and includes horizontally extending strips that extend between the side strips.

11. (Original) The back construction defined in claim 1, wherein the bladder extends vertically from top to bottom of the back shell, but extends only partially horizontally across the back shell.

12. (Original) The back construction defined in claim 1, wherein the bladder is removably attached to the back shell.

13. (Original) The back construction defined in claim 12, including a cover assembly having a sock top shaped to slide onto and engage a top of the back shell.

14. (Original) The back construction defined in claim 13, wherein the cover assembly includes a releasable bottom connector shaped to releasably engage a bottom of the back shell.

15. (Original) The back construction defined in claim 1, including a cover assembly with angled side edges extending non-parallel to side edges of back shell, the cover assembly being attached to the back shell and incorporating the bladder.

16. (Original) The back construction defined in claim 1, wherein the bladder is riveted to the back shell.

Applicants : David S. Teppo et al.  
Appln. No. : 09/885,877  
Page -4-

b1  
cont

17. (Original) The back construction defined in claim 1, wherein the bladder includes multiple layers, at least one structural layer being flexible but non-stretchable and providing strength, and at least one elastic layer being flexible and air-impermeable to provide an air-receiving cavity.

18. (Original) The back construction defined in claim 17, wherein the at least one structural layer includes nylon, and the at least one elastic layer includes urethane.

19. (Original) The back construction defined in claim 1, including an air pump operably connected to the bladder.

20. (Presently amended) A back construction for a seating unit comprising:  
a rigid back frame;

a flexible back panel made of incompressible material that resists shortening when stressed and that is attached to and supported by the back frame at spaced-apart points, the back panel including a stiff top section, a stiff bottom section, and a flexible lumbar section; and

a constrictable energy mechanism operably coupled to the stiff top and bottom sections and spanning the flexible lumbar section of the flexible back panel at spaced-apart locations so that, when the energy mechanism is energized and constricts vertically, the lumbar section bends and the back panel is flexed to a different shape.

21. (Original) The back construction defined in claim 20, wherein the back panel is slidably attached to the back frame at a bottom location.

22. (Original) The back construction defined in claim 20, wherein the energy mechanism includes an inflatable bladder.

23. (Original) The back construction defined in claim 22, wherein the bladder includes transverse pleats subdividing a length of the bladder into a plurality of sub-compartments.

Applicants : David S. Teppo et al.  
Appln. No. : 09/885,877  
Page -5-

b)  
cont

24. (Original) The back construction defined in claim 20, wherein the back panel includes a front surface, and the energy mechanism is laid on and against the front surface.

25. Canceled.

26. Canceled.

---